

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PLICATION NO. FILIN	NG DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/857,234 04/	01/2002	Jennifer Campbell	021340-00008	9704
3705 7590	02/27/2004	EXAMINER		
ECKERT SEAMANS	CHERIN & ME	VANORE, DAVID A		
600 GRANT STREET			ADTIBUT	PAPER NUMBER
44TH FLOOR		ART UNIT	PAPER NUMBER	
PITTSBURGH, PA 15	219	2881		
rii i sbukgh, PA 15.	219		2881	

Please find below and/or attached an Office communication concerning this application or proceeding.

					m		
		Α	pplication No.	Applicant(s)			
		c	9/857,234	CAMPBELL ET AL.	CAMPBELL ET AL.		
	Office Action Summary	E	xaminer	Art Unit	-		
		D	avid A Vanore	2881			
Period fo	The MAILING DATE of this commu	nication appear	s on the cover sheet wi	th the correspondence add	ress		
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD I MAILING DATE OF THIS COMMUN nsions of time may be available under the provision SIX (6) MONTHS from the mailing date of this comperiod for reply specified above is less than thirty (9 period for reply is specified above, the maximum is re to reply within the set or extended period for reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	IICATION. s of 37 CFR 1.136(a) munication. 30) days, a reply with statutory period will a y will, by statute, cau). In no event, however, may a re nin the statutory minimum of thirt pply and will expire SIX (6) MON se the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this cor ANDONED (35 U.S.C. § 133).	nmunication.		
1)🛛	Responsive to communication(s) file	ed on <u>08 Dece</u>	<u>mber 2003</u> .				
2a)⊠	This action is FINAL .	2b)⊡ This act	ion is non-final.				
3)	Since this application is in condition closed in accordance with the pract				merits is		
Dispositi	on of Claims						
5)□ 6)⊠ 7)⊠	Claim(s) <u>1-27</u> is/are pending in the 4a) Of the above claim(s) is/a Claim(s) is/are allowed. Claim(s) <u>1-12,14,15 and 17-27</u> is/a Claim(s) <u>13 and 16</u> is/are objected Claim(s) are subject to restrict	are withdrawn re rejected. to.					
Applicati	on Papers						
10)⊠	The specification is objected to by the drawing(s) filed on <u>01 June 200</u> Applicant may not request that any objected to the placement drawing sheet(s) including the oath or declaration is objected to the control of the oath or declaration is objected to the control of the c	<u>21</u> is/are: a)⊠ ection to the draw g the correction	wing(s) be held in abeyan is required if the drawing(ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFF			
Priority ι	ınder 35 U.S.C. §§ 119 and 120						
* S 13)	Acknowledgment is made of a clair All b) Some * c) None of: 1. Certified copies of the priority 3. Copies of the certified copies application from the Internation and the attached detailed Office activation and the copies application from the Internation of the attached detailed Office activation of the foreign later than the copies application from the Internation of the foreign later than the copies application and the copies application of the foreign later than the copies application and the copies application from the priority application of the priority application from the priority application f	documents had documents had documents had been done of the priority on all Bureau (Fon for a list of the for domestic pred in the first second or domestic provise for domestic provise documents of domestic provise documents had documents had documents been documents and documents of documents had documents ha	ave been received. ave been received in A documents have been PCT Rule 17.2(a)). he certified copies not riority under 35 U.S.C. entence of the specificational application has be riority under 35 U.S.C.	pplication No received in this National S received. § 119(e) (to a provisional a ation or in an Application E een received. §§ 120 and/or 121 since a	application) Data Sheet.		
Attachmen			_				
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (nation Disclosure Statement(s) (PTO-1449)	PTO-948) Paper No(s) <u>1203</u>	5) Notice of In	ummary (PTO-413) Paper No(s) formal Patent Application (PTO-			

1

Response to Arguments

Applicant's arguments with respect to claims 1-27 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-12,14-15, and 17-27 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Javahery et al.

Javahery et al. teaches a mass spectrometer device and associated method comprising the following:

- 1. A device and method for analyzing a stream of ions comprising:
- (1) subjecting an input (Fig. 9 Items 12 and 20) stream of ions to a first mass analysis in quadrupole (Q32) at a pressure no higher than approximately 2x10[^] -5 torr to select ions having a mass-to-charge ratio in a first desired range (Col. 7 Lines 36-61).
- (2) passing the selected ions into a radio frequency linear ion trap (Q33) containing a gas (Col. 7 Lines 36-Col. 8 Line 23)
- (3) trapping the selected ions in the linear ion tráp (Q33) and exciting the trapped ions to cause collisions with the gas and fragmentation (Paragraph 11)

- (4) subjecting the fragment ions to a secondary excitation (Q34), different from the first excitation to cause excitation and fragmentation of selected fragment ions, and
- (5) passing the ions out of the linear ion trap (Q34) and subjecting the ions to a further mass analysis step (Q35) to determine the mass spectrum of the ions
- (6) where the means for mass analysis, trapping, and ion collision are axially aligned quadrupoles (Fig. 9)
- (7) where the means for detecting the resultant ions is a time of flight mass spectrometer (Col. 8 Lines 45-52)
- (8) the quadrupoles of the trap comprise an X set of rods and a Y set of rods (Fig. 3) and a main drive 46 and auxiliary drive 50 selectively energize the rods and where a main power supply (43) is connected to the rods through a transformer coil (72,74, or 78) as in Fig. 8.

as recited in claims 1 and 17-27.

- 2. A method and apparatus where, prior to subjecting the fragment ions to the secondary excitation, applying a signal to the linear ion trap (Q2) to isolate ions having a mass-to-charge ratio in a second desired range, wherein subjecting the fragment ions to the secondary excitation comprises exciting the isolated ions having a mass-to-charge ratio in the second desired range (Col. 7 Lines 36-61) as recited in claim 2.
- 3. A method and apparatus where trapping the ions in the linear ion trap, effecting multiple cycles of:

Application/Control Number: 09/857,234

Art Unit: 2881

(1) isolating ions having a mass-to-charge ratio in a further desired range, and

(2) exciting the isolated desired range to cause fragmentation (Col. 8), as recited in

Page 4

claim 3.

4. A method and apparatus wherein passing the selected ions into the linear ion trap

comprises passing the selected ions into the linear ion trap with sufficient energy to

promote collision induced dissociation ions the said energy providing the excitation of

the trapped ions having a mass-to-charge ratio, whereby trapping the selected ions in

the linear ion trap comprises applying a signal to the linear ion trap to trap ions before

subjecting the ions to the further mass analysis (Col. 7 and 8) as recited in claim 4.

5. A method and apparatus which comprises exciting the ions in the linear ion trap by

providing a signal to the linear ion trap (Fig. 8 and Col. 8) as recited in claim 5.

6. A method and apparatus wherein the further mass analysis is carried out in a

quadrupole mass analyzer (Q34, Q35) as recited in claim 6.

7. A method and apparatus wherein the further mass analysis is carried out in a time of

flight mass analyzer (Col. 8) as recited in claim 7.

- 8. A method and apparatus wherein the further mass analysis step is carried out in a time of flight mass analyzer arranged with its axis perpendicular to the axis of the linear ion traps (Col. 8) as recited in claim 8.
- 9. A method and apparatus wherein each mass analysis step is carried out in one of: a linear quadrupole a linear time of flight analyzer, a reflectron time of flight analyzer, a single magnetic sector analyzer, a double focusing two sector mass analyzer having an electric sector and a magnetic sector, a Paul trap; a Wien filter, a Mattauch-Herzog spectrograph, ion cyclotron mass spectrometer, and a Thomson parabolic mass spectrometer (Col 7-8) as recited in claim 9.
- 10. A method as and apparatus wherein the first mass analysis step is carried out in a quadrupole mass analyzer which is coaxial with the linear ion trap (Fig. 9-11) as recited in claim 10.
- 11. A method and apparatus which includes, prior to exciting the trapped ions, subjecting the trapped ions to a signal comprising a plurality of excitation signals uniformly spaced in a frequency domain and having a notch, wherein the notch covers a desired frequency band and there are no excitation signals in the frequency band of the notch, and wherein the excitation signals have sufficient magnitude to excite and eject ions except for ions having an excitation frequency within the frequency band of the notch (Col. 3 Lines 52-68, Col. 4-Col. 7 Line 37) as recited in claim 11.

Application/Control Number: 09/857,234

Art Unit: 2881

Page 6

12. A method and apparatus which comprises applying a combination of signals comprising sine waves and with frequencies up to f/2, where f is the frequency of the trapping RF. The selection of a desired frequency range to cause selective excitation and ejection of a desired ion species is taught in Javahery et al. at Col 3-7 as recited in claims 12 and 14. Signals to applied to the quadrupoles in Javahery et al. include AC signals which are sine waves. Since selecting the range of frequencies swept through to half of the trapping frequency controls the selective excitation of an ion species and such a process is laid out in Javahery et al. between Col. 3-7, Javahery et al. anticipates the claimed subject matter because the range of frequencies swept through encompasses all frequencies for ion excitation.

13. A method and apparatus which includes providing an exit lens between the linear ion trap and the time of flight device and lowering the voltage on the exit lens to permit ions to pass into the time of flight device the method further comprising providing a signal to a repeller grid of the time of flight device to cause the time of flight device

to scan at a desired rate (Col. 8 Lines 42-55 where Javahery et al. teaches a "focusing" means where a focusing means implicitly means a lens as the term focusing in the context of an ion device refers to the ion-optical process of focusing a beam of charged particles. The focusing of charged particles, in the context of an ion-optical device such as that of Javahery et al., could only be carried out by an ion-optical lens. Therefore, claim 15 is anticipated by Javahery et al.

Allowable Subject Matter

Claims 13 and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter: The prior art does not teach or suggest the apparatus of claim 11 further comprising the application of a combination of signals having sine waves with frequencies in the range 10 to 500 kHz and spaced at 500 Hz intervals, and the frequency band of the notch has a width of 1-10 kHz and is centered on the resonant frequency of an ion of interest as recited in claim 13.

The prior art further fails to disclose the method of claim 15 further comprising the method step of passing the selected ions into the linear ion trap (Q2) is for a period of substantially 5ms, subjecting the ions in the linear ion trap (Q2) to an excitation signal to excite and eject undesired ions is for a period of substantially 4ms, exciting the desired ions is for a period of substantially 4ms and passing the ions out of the linear

Application/Control Number: 09/857,234

Art Unit: 2881

ion trap (Q2) and scanning the time of flight device is for substantially 7ms as recited in claim 16.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David A Vanore whose telephone number is (571) 272-2483. The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on (571) 272-2477. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

dav

JOHN R. LEE

Page 9

TECHNOLOGY CE